



## **Uni-Prime Prep** **(for Uni-Stain)**

### **MANUFACTURER**

Subsidiary of Universal Form Clamp Company  
100 WEST JOHNSON STREET  
CENTRALIA, IL. 62801  
Tele# 888-815-4932 Fax# 618-533-5653  
[www.OnCrete.com](http://www.OnCrete.com)

### **DESCRIPTION**

**Uni-Prime Prep** was created for substrates that are excessively porous. Particularly concrete that was finished poorly (not closed with a steel trowel), broomed, or very old concrete may absorb **Uni-Stain** so deeply that little color, if any, is visible. **Uni-Prime Prep** reduces the porosity allowing the color to reach full development. **Uni-Prime Prep** is clear and will leave no color when dry.

### **USE**

**Uni-Prime Prep** may be used across an entire project if excessive porosity is apparent. It may also be used on just those isolated areas that are "open".

### **PROTECTION**

Surrounding areas and foliage should be protected prior to priming. Any adjoining walls should be masked. The use of plastic sheeting for masking is appropriate, as it will not absorb and hold the primer. Wear a NIOSH approved respirator if adequate ventilation is problematic. The use of chemical resistance gloves and chemical splash goggles is appropriate. Wear suitable protective clothing to protect skin.

### **APPLICATION**

Areas of questionable porosity may be tested by generously applying **Uni-Stain** with sponge or pump-up sprayer to the substrate. If color is faint or not visible within a few minutes, **Uni-Prime Prep** is required. Mix 1 part **Uni-Prime Prep** with 3 to 4 parts potable water. Apply **Uni-Prime Prep** with a pump-up sprayer in a **fine mist**. A light coat is preferred, as heavy applications will affect color and create an artificial shine or gloss.

On substrates that have isolated areas of high porosity, **Uni-Prime Prep** may be "feathered" or "faded" with pump-up sprayer. Apply the more concentrated spray on "open", porous areas and "feather" spray to nothing in tight-troweled areas.

### **MISC. DATA**

Coverage: 1 gal. (Blended/ per Gal) = 200-300 sq. ft. (varies widely due to porosity and application.)

### **PACKAGING**

**Uni-Prime Prep** : 1 gal. jugs.  
5 gal. pails

### **WARRANTY**

#### **IMPORTANT NOTICE:**

THESE PRODUCTS ARE SOLD SUBJECT ONLY TO THE EXPRESSED WARRANTIES CONTAINED HEREIN. ADDITIONAL WARRANTIES, EXPRESSED OR IMPLIED, AND ANY WARRANTY OF MERCHANT ABILITY IS HEREBY EXCLUDED. BUYER AGREES THAT SELLER ASSUMES NO LIABILITY FOR CONSEQUENTIAL DAMAGES OF ANY KIND, WHICH RESULT FROM THE USE OR MISUSE OF THE MERCHANDISE SOLD HEREUNDER. IN THE EVENT THAT THE BUYER PROVES THAT ANY GOODS RECEIVED DO NOT CONFORM TO THE SPECIFICATIONS AGREED TO BETWEEN THE PARTIES OR IF THE BUYER PROVES THAT SUCH GOODS WERE DEFECTIVELY MANUFACTURED. THE BUYER'S REMEDIES SHALL BE LIMITED TO EITHER THE RETURN OF THE GOODS AND REPAYMENT OF THE PURCHASE PRICE OR REPLACEMENT OF THE NONCONFORMING GOODS AT THE OPTION OF THE SELLER. SUCH REMEDY BEING EXCLUSIVE OF ALL OTHERS AND THE SOLE REMEDY AVAILABLE TO THE BUYER, TO WHICH HEREBY EXPRESSLY WAIVES ANY CLAIM TO ADDITIONAL DAMAGES.



